



### Cutter T3N

Housing aluminium  
Blades CNS 18/10  
Lid polycarbonate  
Stainless steel bowl: Ø 210 mm, height 110 mm  
Capacity: 3 litres  
Revolutions per minute: 730 r.p.m.  
Power: 0,37 kW / 230 V 50 Hz  
Size: W 400 x D 320 x H 320 mm  
Weight: 12 kg  
Double knife included  
GTIN 4015613539683  
**Code-No. 120831**



### Potato peeling machine 5 kg

CNS 18/10  
Capacity per peeling process 5 kg  
Capacity: 60 kg/h  
1 speed level  
Water connection: 3/4"  
Size: W 610 x D 520 x H 560 mm  
Power: 0,37 kW / 230 V 50 Hz 1 NAC  
Weight: 28 kg  
GTIN 4015613433448  
**Code-No. A120181**



### Potato peeling machine 7,5 kg

CNS 18/10  
Capacity per peeling process 7,5 kg  
Capacity: 90 kg/h  
Timer 0 - 4 min.  
1 speed level  
Water connection: 3/4"  
Size: W 400 x D 770 x H 870 mm  
Power: 0,75 kW / 230 V 50 Hz 1 NAC  
Weight: 38 kg  
GTIN 4015613433455  
**Code-No. A120186**





**Vegetable cutter**  
**5 cutting discs included**

Material: cast aluminum  
 Power: 0,55 kW / 230 V 50 Hz  
 Size: W 240 x D 630 x H 500 mm  
 Weight: 27,5 kg

**Delivery includes**

- Disc for grating Z3a, 3 mm
- Disc for grating Z5a, 5 mm
- Disc for grating Z7a, 7 mm
- Disc for slices E2a, 2 mm
- Disc for slices E4a, 4 mm

GTIN 4015613528274  
**Code-No. 120325**

**Disc holder**

GTIN 4015613615417  
**Code-No. A120255**



✓ Delivery without cutting discs

**Cutting discs for slices**



**Slice thickness**  
**Code-No.**

**E2a**  
  
**2 mm**  
**120307**  
 GTIN 4015613658117

**E4a**  
  
**4 mm**  
**120308**  
 GTIN 4015613658124

**E8a**  
  
**8 mm**  
**120309**  
 GTIN 4015613658131

**E10a**  
  
**10 mm**  
**120310**  
 GTIN 4015613658148

**Cutting discs for sticks**



**Stick thickness**  
**Code-No.**

**H3a**  
  
**3 mm**  
**120311**  
 GTIN 4015613658155

**H4a**  
  
**4 mm**  
**120312**  
 GTIN 4015613658209

✓ Grated cheese for gratinating, scalloping or garnishing: with this cutting disc and pre-cooled cheese (6 °C to 8 °C) you achieve best results.

**120302**

**Cutting discs for grating**



**Grating thickness**  
**Code-No.**

**Z3a**  
  
**3 mm**  
**120313**  
 GTIN 4015613658223

**Z5a**  
  
**5 mm**  
**120314**  
 GTIN 4015613658230

**Z7a**  
  
**7 mm**  
**120315**  
 GTIN 4015613658247

**non-stick coated**  
  
**5 mm**  
**120302**  
 GTIN 4015613637846



## Motor block for grating drum\*

Whether for vegetables, fruit, nuts, hard cheese, or even chocolate - in combination with the matching drum attachment and the separately available drums, you can adapt the motor block to meet your individual needs.

Plastic body, white

Speed: approx. 120 r.p.m., overload protection

Permanent magnet motor

Power: 0,15 kW / 230 V 50 Hz

Size: W 130 x D 190 x H 230 mm

Weight: 1,6 kg

GTIN 4015613582672

**Code-No. 370143**

Depending on your needs, you can choose between the two drum attachment sets and replenish with the separate drums. This creates a perfect set - for fine or coarse grating, slices or stripes - usable in preparing, cooking, roasting and baking.

## Drum attachment set 1 - including fine grating drum Set consisting of:

Drum attachment: plastic

W 110 x D 145 x H 230 mm

Fine grating drum: stainless steel, Ø 75 mm

Weight: 0,45 kg

GTIN 4015613582665

**Code-No. 370142**



## Drum attachment set 2 - including 3 drums Set consisting of:

Drum attachment: plastic

W 110 x D 145 x H 230 mm

Bircher drum, slices drum and coarse grating drum: stainless steel, Ø 75 mm

Weight: 0,65 kg

GTIN 4015613582627

**Code-No. 370145**



✓ The two drum attachment sets can be replenished individually with the separate drums



## Sticks drum


especially suitable for vegetable stripes

Stainless steel, Ø 75 mm

Weight: 0,10 kg

GTIN 4015613582641

**Code-No. 370148**



## Potato grating drum

especially suitable for potato cakes or potato dumplings

Stainless steel, Ø 75 mm

Weight: 0,10 kg

GTIN 4015613582658

**Code-No. 370149**



## Fine grating drum

especially suitable for hard cheese, nuts, breadcrumbs and chocolate

Stainless steel, Ø 75 mm

Weight: 0,10 kg

GTIN 4015613582634

**Code-No. 370146**

\*The device is not suitable for continuous commercial use.